

FortressAccents Specifications

LED Cap Light Kit

1.) Actual Color temperature in Kelvins	2600~2800K
2.) Certifications and listings (ie UL Listed etc)	ETL/Intertek 4004010
3.) Color rendering index	Ra 80+
4.) Energy Star Certified (Yes or No)	No
5.) Light Output in Lumens	100 lm
6.) Waterproof (Yes or No)	Suitable for wet locations
7.) Weather resistant (Yes or No)	Yes

Vertical Post Light

1.) Actual Color temperature in Kelvins	2600~2800K
2.) Certifications and listings (ie UL Listed etc)	ETL/Intertek 4004010
3.) Color rendering index	Ra 80+
4.) Energy Star Certified (Yes or No)	No
5.) Light Output in Lumens	10 lm
6.) Waterproof (Yes or No)	Suitable for wet locations
7.) Weather resistant (Yes or No)	Yes

Surface Mount Light

1.) Actual Color temperature in Kelvins	2600~2800K
2.) Certifications and listings (ie UL Listed etc)	ETL/Intertek 4004010
3.) Color rendering index	Ra 80+
4.) Energy Star Certified (Yes or No)	No
5.) Light Output in Lumens	5 lm
6.) Waterproof (Yes or No)	Suitable for wet locations
7.) Weather resistant (Yes or No)	Yes

Universal Light

1.) Actual Color temperature in Kelvins	2600~2800K
2.) Certifications and listings (ie UL Listed etc)	ETL/Intertek 4004010
3.) Color rendering index	Ra 80+
4.) Energy Star Certified (Yes or No)	No
5.) Light Output in Lumens	10 lm
6.) Waterproof (Yes or No)	Suitable for wet locations
7.) Weather resistant (Yes or No)	Yes

FA 2" LED Glow Ring

1.) Actual Color temperature in Kelvins	2600~2800K
2.) Certifications and listings (ie UL Listed etc)	ETL/Intertek 4004010
3.) Color rendering index	Ra 80+
4.) Energy Star Certified (Yes or No)	No
5.) Light Output in Lumens	50 lm
6.) Waterproof (Yes or No)	Suitable for wet locations
7.) Weather resistant (Yes or No)	Yes

FA 3" LED Glow Ring

- | | |
|--|----------------------------|
| 1.) Actual Color temperature in Kelvins | 2600~2800K |
| 2.) Certifications and listings (ie UL Listed etc) | ETL/Intertek 4004010 |
| 3.) Color rendering index | Ra 80+ |
| 4.) Energy Star Certified (Yes or No) | No |
| 5.) Light Output in Lumens | 50 lm |
| 6.) Waterproof (Yes or No) | Suitable for wet locations |
| 7.) Weather resistant (Yes or No) | Yes |

FA 3.5" LED Glow Ring

- | | |
|--|----------------------------|
| 1.) Actual Color temperature in Kelvins | 2600~2800K |
| 2.) Certifications and listings (ie UL Listed etc) | ETL/Intertek 4004010 |
| 3.) Color rendering index | Ra 80+ |
| 4.) Energy Star Certified (Yes or No) | No |
| 5.) Light Output in Lumens | 50 lm |
| 6.) Waterproof (Yes or No) | Suitable for wet locations |
| 7.) Weather resistant (Yes or No) | Yes |

FA 4" LED Glow Ring

- | | |
|--|----------------------------|
| 1.) Actual Color temperature in Kelvins | 2600~2800K |
| 2.) Certifications and listings (ie UL Listed etc) | ETL/Intertek 4004010 |
| 3.) Color rendering index | Ra 80+ |
| 4.) Energy Star Certified (Yes or No) | No |
| 5.) Light Output in Lumens | 50 lm |
| 6.) Waterproof (Yes or No) | Suitable for wet locations |
| 7.) Weather resistant (Yes or No) | Yes |

FA 5" LED Glow Ring


- | | |
|--|----------------------------|
| 1.) Actual Color temperature in Kelvins | 2600~2800K |
| 2.) Certifications and listings (ie UL Listed etc) | ETL/Intertek 4004010 |
| 3.) Color rendering index | Ra 80+ |
| 4.) Energy Star Certified (Yes or No) | No |
| 5.) Light Output in Lumens | 50 lm |
| 6.) Waterproof (Yes or No) | Suitable for wet locations |
| 7.) Weather resistant (Yes or No) | Yes |

FA 6" LED Glow Ring


- | | |
|--|----------------------------|
| 1.) Actual Color temperature in Kelvins | 2600~2800K |
| 2.) Certifications and listings (ie UL Listed etc) | ETL/Intertek 4004010 |
| 3.) Color rendering index | Ra 80+ |
| 4.) Energy Star Certified (Yes or No) | No |
| 5.) Light Output in Lumens | 50 lm |
| 6.) Waterproof (Yes or No) | Suitable for wet locations |
| 7.) Weather resistant (Yes or No) | Yes |



LED Light Kit



Top View




1.016m

Reading Locations

	Lumens	Lumens
1		13
2		14
3		15
4		16
5		17
6		18
7		19
8		20
9		21
10		22
11		23
12		24



Top View



1.016m


Reading Locations

Lumens	
1	13
2	14
3	15
4	16
5	17
6	18
7	19
8	20
9	21
10	22
11	23
12	24


Glow Ring

152mm 152mm 152mm 152mm 152mm 152mm

Vertical Post Light



Top View



Reading Locations

	Lumens	Lumens
1		13
2		14
3		15
4		
5		
6		
7		
8		
9		
10		
11		
12		


Universal Light

Universal Light

863mm

152mm 152mm 152mm 152mm 152mm 152mm

Top View





Reading Locations

	Lumens	Lumens
1		13
2		14
3		15
4		16
5		17
6		18
7		19
8		20
9		21
10		22
11		23
12		24

Surface Mount Light


Top View



Reading Locations


	Lumens	Lumens
1		13
2		14
3		15
4		16
5		17
6		18
7		19
8		20
9		21
10		22
11		23
12		24

FortressAccents Vertical Post Light Light Spread



Size 1.8x0.9x3.57in

Not To Scale



FortressAccents Vertical Post Light

Color Temp. in Kelvins
2600 ~ 2800K
Light output in
10 Lm Lumen